
*Fig. 1*

*Fig. 2*

Prepaid Internet Access System

Account Batches

Batch Number: 2

Description 1: PCSL

Description 2:

Batch Expiration Date: 9/12/1999

Active: ☒

Comments:

[Main Menu](#)

Record: 1 of 5

Fig. 4

Prepaid Internet Access System

PINE CREEK SYSTEMS LTD.

- ☒ Account Batches
- ☐ Generate Accounts
- ☐ View Logs
- ☐ View Calls
- ☐ View Prepaid Accounts
- ☐ Report Menu
- ☐ Configuration Menu
- ☐ Utilities Menu

[Exit](#)

Copyright 1999 Pine Creek Systems, Ltd.
Unauthorized Use or Duplication Prohibited
<http://www.netaccesscard.com> v2.1

Fig. 3

Prepaid Internet Access System

Account Generator

Batch Number: 1 test

Quantity of Accounts: 100000

Concurrent Login Limit: 1

Account Duration in Days: 90

Account Duration in Minutes: 400

Account Duration in Months:

Add Text BEFORE UserID:

Add Text AFTER UserID: @prepaid

Start: Finish:

[Generate Accounts](#) [Main Menu](#)

Fig. 5

Accounts		Main Menu						
					Maximum Account Duration			
Batch	User ID (User Name)	Password	Minutes Remaining	Active	Expiration Date	Days	Months	Login Limit
1	1	1	100	1				1
1	58008161	123456	4	1		30		2
1	79726608	654321	4	1		30		2
1	73813410	472629	25	1		30		2
1	81143201	965757	4	1		30		2

Fig. 6

Prepaid Internet Access System						
Call Records		Main Menu				
NASIdentifier	NASPort	AcctStatusType	AcctSessionId	CallDate	UserName	AcctDelayTmr
Record: 14 1 of 1						

Fig. 7

RADIUS Logs				Main Menu	
Error Code	Log Date	UserID	Data		
10	8/23/1999	12345678			
Record: 2 of 2					

Fig. 8

Prepaid Internet Access System

Report Menu

- ☒ Usage Summary
- ☐ Connect Times by Account
- ☐ On-Line Total by Account
- ☐ Port Usage Report
- ☐ Port Usage in Past 24 Hours
- ☐ Timed Accounts Summary
- ☐ Timed Account Usage by Batch
- ☐ Unlimited Account Usage by Batch
- ☐ Unlimited Account Usage by Duration

[Main Menu](#)

Fig. 9

Prepaid Internet Access System

Configuration Menu

- ☒ Network Access Servers
- ☐ NAS Ports
- ☐ RADIUS Values
- ☐ RADIUS Attributes
- ☐ Attribute Configuration
- ☐ Roaming Servers
- ☐ Roaming Domains
- ☐ Software License
- ☐ Log Messages
- ☐ RADIUS Vendors

[Main Menu](#)

Fig. 10

Prepaid Internet Access System

Servers

ServerID:

Server:

IPAddress:

Secret:

[Main Menu](#)

Record: 14 | 1 | 1 | 1 | 1 | 1 | of 6

Fig. 11

Prepaid Internet Access System

Attribute Configuration

RadAttributeID:

Data:

Value:

Vendor ID:

Vendor Type:

Check Attribute: ☐

[Main Menu](#)

Record: 14 | 1 | 1 | 1 | 1 | 1 | of 1

Fig. 12

Prepaid Internet Access System

Roaming Servers

RadRoamServers:

IPAddress:

Server:

Secret:

Timeout:

Retries:

Treat as Local: ☐

Strip Domain: ☒

AuthPort:

AcctPort:

Allow Rlogin: ☐

[Main Menu](#)

Record: 14 | 1 | 1 | 1 | 1 | 1 | of 1

Fig. 13